

Amendment to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Cancelled)
2. (Cancelled)
3. (Cancelled)
4. (Cancelled)
5. (Previously presented) An ethylene homopolymer or interpolymer composition having a percentage fraction of a GPC-LS chromatogram which has a molecular weight equal to or greater than 1,000,000 as determined by gel permeation chromatography with a low angle laser light scattering detector is at least 2.5 percent but no more than about 20 percent of the total area of the GPC-LS chromatogram; and having a percentage fraction of a GPC-RI chromatogram which has a molecular weight equal to or less than about 10,000 as determined by gel permeation chromatography with a differential refractometer is no more than about 25 percent but at least about 10 percent of the total area of the GPC-RI chromatogram.
6. (canceled)
7. (canceled)
8. (Previously presented) The ethylene composition of Claim 5 wherein the percentage fraction of the GPC-LS chromatogram which has a molecular weight equal to or greater than 1,000,000 as determined by gel permeation chromatography with a low angle laser light scattering detector is equal to or less than about 15 percent of the total area of the GPC-LS chromatogram, and wherein the percentage fraction of a GPC-RI chromatogram which has a molecular weight equal to or less than about 10,000 as determined by gel permeation chromatography with a differential refractometer is equal to or greater than about 15 percent of the total area of the GPC-RI chromatogram.

9. (Previously presented) The ethylene composition of claim 5, wherein the percentage fraction of the GPC-LS chromatogram which has a molecular weight equal to or greater than 1,000,000 as determined by gel permeation chromatography with a low angle laser light scattering detector is equal to or less than about 10 percent of the total area of the GPC-LS chromatogram, and wherein the percentage fraction of the GPC-RI chromatogram which has a molecular weight equal to or less than about 10,000 as determined by gel permeation chromatography with a differential refractometer is equal to or greater than about 20 percent of the total area of the GPC-RI chromatogram.
10. (Previously presented) The ethylene composition of claim 5, wherein the percentage fraction of the GPC-RI chromatogram which has a molecular weight equal to or less than about 10,000 as determined by gel permeation chromatography with a differential refractometer is equal to or greater than about 15 percent of the total area of the GPC-RI chromatogram.
11. (Previously presented) The ethylene composition of claim 5, wherein the percentage fraction of the GPC-RI chromatogram which has a molecular weight equal to or less than about 10,000 as determined by gel permeation chromatography with a differential refractometer is equal to or greater than about 20 percent of the total area of the GPC-RI chromatogram.
12. (Previously presented) The ethylene composition of claim 5, wherein the percentage fraction of the GPC-LS chromatogram which has a molecular weight equal to or greater than 1,000,000 as determined by gel permeation chromatography with a low angle laser light scattering detector is equal to or less than about 15 percent of the total area of the GPC-LS chromatogram.
13. (Original) The ethylene composition of claim 8, wherein the percentage fraction of the GPC-RI chromatogram which has a molecular weight equal to or less than about 10,000 as determined by gel permeation chromatography with a differential refractometer is equal to or greater than about 20 percent of the total area of the GPC-RI chromatogram.

14. (Previously presented) The ethylene composition of claim 5, wherein the percentage fraction of the GPC-LS chromatogram which has a molecular weight equal to or greater than 1,000,000 as determined by gel permeation chromatography with a low angle laser light scattering detector is equal to or less than about 10 percent of the total area of the GPC-LS chromatogram.
15. (Original) The ethylene composition of claim 14, wherein the percentage fraction of the GPC-RI chromatogram which has a molecular weight equal to or less than about 10,000 as determined by gel permeation chromatography with a differential refractometer is equal to or greater than about 15 percent of the total area of the GPC-RI chromatogram.
16. (Previously presented) A film comprising at least one layer made from the polymer composition of any one of claims 5, or 8 to 15.